


## VERTICAL TURBINE FIRE PUMP 3500 GPM | 12x18M | PERFORMANCE CURVE

File No: F51.258  
Date: JULY 15, 2013  
Supersedes: F51.258  
Date: AUGUST 15, 2005

### TWO STAGE PERFORMANCE CURVES



**Curve**  
3500 GPM Fire pump

**FM approved**  
Range - 259' to 342'

**u.L. listed**  
Range - 259' to 288'

**Size**  
12X18M VTF

**RPM**  
1800

**Impeller**  
Enclosed type  
Bronze

**Bowl**  
Cast iron enamel

18MKM - 1 REQ'D  
**A:** 12.250 full dia  
**B:** 11.500 dia  
**C:** 10.750 dia

20MKL - 1 REQ'D  
13.000 DIA (ONLY)

#### TORONTO

+1 416 755 2291

#### BUFFALO

+1 716 693 8813

#### BIRMINGHAM

+44 (0) 8444 145 145

#### MANCHESTER

+44 (0) 8444 145 145

#### BANGALORE

+91 (0) 80 4906 3555

#### SHANGHAI


+86 21 3756 6696

ARMSTRONG FLUID TECHNOLOGY  
ESTABLISHED 1934

ARMSTRONGFLUIDTECHNOLOGY.COM

# VERTICAL TURBINE FIRE PUMP 3500 GPM | 12x18M | PERFORMANCE CURVE

## THREE STAGE PERFORMANCE CURVES



- Curve**  
3500 GPM Fire pump
- FM approved**  
Range - 366' to 443'
- U.L. listed**  
Range - 366' to 432'
- Size**  
12X18M VTF
- RPM**  
1800
- Impeller**  
Enclosed type  
Bronze
- Bowl**  
Cast iron enamel
- Bowl HP.**  
18MKM - 2 REQ'D  
**A:** 12.250 full dia  
**B:** 11.500 dia  
**C:** 10.750 dia  
20MKL - 1 REQ'D  
13.000 DIA (ONLY)

**TORONTO**

+1 416 755 2291

**BUFFALO**

+1 716 693 8813

**BIRMINGHAM**

+44 (0) 8444 145 145

**MANCHESTER**

+44 (0) 8444 145 145

**BANGALORE**


+91 (0) 80 4906 3555

**SHANGHAI**

+86 21 3756 6696

# VERTICAL TURBINE FIRE PUMP 3500 GPM | 12x18M | PERFORMANCE CURVE

## FOUR STAGE PERFORMANCE CURVES



**TORONTO**  
+1 416 755 2291

**BUFFALO**  
+1 716 693 8813

**BIRMINGHAM**  
+44 (0) 8444 145 145

**MANCHESTER**  
+44 (0) 8444 145 145

**BANGALORE**  
+91 (0) 80 4906 3555

**SHANGHAI**  
+86 21 3756 6696