


VERTICAL TURBINE FIRE PUMP 5000 GPM | 14x19H | PERFORMANCE CURVE

File No: F51.261
Date: JULY 15, 2013
Supersedes: F51.261
Date: AUGUST 15, 2005

ONE STAGE PERFORMANCE CURVES



TORONTO
+1 416 755 2291

BUFFALO
+1 716 693 8813

BIRMINGHAM
+44 (0) 8444 145 145


MANCHESTER
+44 (0) 8444 145 145

BANGALORE
+91 (0) 80 4906 3555

SHANGHAI
+86 21 3756 6696

VERTICAL TURBINE FIRE PUMP 5000 GPM | 14x19H | PERFORMANCE CURVE

TWO STAGE PERFORMANCE CURVES



TORONTO
+1 416 755 2291

BUFFALO
+1 716 693 8813

BIRMINGHAM
+44 (0) 8444 145 145


MANCHESTER
+44 (0) 8444 145 145

BANGALORE
+91 (0) 80 4906 3555

SHANGHAI
+86 21 3756 6696

VERTICAL TURBINE FIRE PUMP 5000 GPM | 14x19H | PERFORMANCE CURVE

THREE STAGE PERFORMANCE CURVES



Curve
5000 GPM Fire pump

FM approved
Range - 330' to 470'

U.L. listed
Range - 386' to 464'

Size
14X19H VTF

RPM
1800

Impeller
Enclosed type
Bronze

Bowl
Cast iron enamel

A: 12.600 full dia
B: 12.000 dia
C: 11.563 dia

TORONTO
+1 416 755 2291

BUFFALO
+1 716 693 8813

BIRMINGHAM
+44 (0) 8444 145 145


MANCHESTER
+44 (0) 8444 145 145

BANGALORE
+91 (0) 80 4906 3555

SHANGHAI
+86 21 3756 6696

VERTICAL TURBINE FIRE PUMP 5000 GPM | 14x19H | PERFORMANCE CURVE

FOUR STAGE PERFORMANCE CURVES



Curve
5000 GPM Fire pump

FM approved
Range - 471' to 610'

U.L. listed
Range - 516' to 610'

Size
14X19H VTF

RPM
1800

Impeller
Enclosed type
Bronze

Bowl
Cast iron enamel

A: 12.600 full dia
B: 12.000 dia
C: 11.563 dia

TORONTO
+1 416 755 2291

BUFFALO
+1 716 693 8813

BIRMINGHAM
+44 (0) 8444 145 145

MANCHESTER
+44 (0) 8444 145 145

BANGALORE
+91 (0) 80 4906 3555

SHANGHAI
+86 21 3756 6696